

**Product: PRESIDENTIAL CHAIR**

Easy to handle, comfortable, high quality padding, intuitive adjustment, and adaptable to the user's posture: these are the qualities of M2, a tangible example of a seat designed to suit the user.

Its clean, fascinating lines make M2 the perfect chair for young, dynamic environments where design and efficiency are combined.

To complete the M2 line, three models which redefine the style and comfort of waiting, reception and meeting areas.

A choice ranging from the most sophisticated elegance to a more practical, linear style in the barrelshaped model, the solution with polished Aluminium arms.



**TECHNICAL FEATURES**

**Seat and backrest:**

**Structure:** in Beech plywood 14 mm thick with an anatomic form.

**Padding:** in non-deformable expanded self-extinguishing Class 1 Polyurethane, cold-pressed, density 63 kg/mc of backrest and seat 63 kg/mc.

**Upholstery:** flameproof fabric Class 1, available in many varieties of colours and fabrics; all have passed the most rigorous tests of resistance to wear and tear. Also available in leather.

**Armrests (optional):**

**"T" shaped, height adjustable**, with support in black painted and with

Polypropylene coating;

**Open**, in shockproof pure Polyurethane with metallic insert.

**Base:** the 68 cm diameter base is available in nylon version with metal reinforcing or in Aluminium. The self-braking, swivel castors are available in soft or hard rubber. Also available with feet.

**MECHANISMS**

**Syncro with side shift (optional):** possibility to move the seat horizontally. The lumbar support built into the structure is adjusted by pressing the nylon of 70 mm.


**CERTIFICATIONS**

The M2 chair has exceeded the strictest tests and offers full guarantees on the quality of used materials. M2 has obtained the conformity attestation for video terminal seating and for UNI EN 1335:2000 type A.

**In conformity to:**


UNI EN 1335-1 – UNI EN 1335-2 – UNI EN 1335-3 Safety, stability, strenght and durability for office chairs – TYPE A

UNI 9175 Fire resistance – Certification – Class 11M



M2, presidential chair with backrest and armrests.

**Mechanisms and adjustment**



**FINISHES**

**Upholstery:** Smart Office - Fabric cat. B, F, G, L, Leather and Extra Leather.

**Base:** Black nylon (standard), polished Aluminium (optional).

**Product: EXECUTIVE CHAIR**

Easy to handle, comfortable, high quality padding, intuitive adjustment, and adaptable to the user's posture: these are the qualities of M2, a tangible example of a seat designed to suit the user.

Its clean, fascinating lines make M2 the perfect chair for young, dynamic environments where design and efficiency are combined.

To complete the M2 line, three models which redefine the style and comfort of waiting, reception and meeting areas.

A choice ranging from the most sophisticated elegance to a more practical, linear style in the barrelshaped model, the solution with polished Aluminium arms.



**TECHNICAL FEATURES**

**Seat and backrest:**

**Structure:** in multi-layer Beech wood 14 mm thick with an anatomic form.

**Padding:** in non-deformable expanded self-extinguishing Class 1 Polyurethane, cold-pressed, density 63 kg/mc of backrest and seat 63 kg/mc.

**Upholstery:** flameproof fabric Class 1, available in many varieties of colours and fabrics; all have passed the most rigorous tests of resistance to wear and tear. Also available in leather.

**Armrests (optional):**

**"T" shaped, height adjustable,** with support in black painted and with Polypropylene coating;

**Open,** in shockproof pure Polyurethane with metallic insert.

**Base:** the 68 cm diameter base is available in nylon version with metal reinforcing or in Aluminium. The self-braking, swivel castors are available in soft or hard rubber. Also available with feet.



M2, executive chair with medium backrest.

**Mechanisms and adjustment**



Syncro mechanism  
Standard



backrest tension adjustment  
Standard



seat depth adjustment  
Optional



height adjustment  
Standard



lumbar support adjustment  
Standard

**MECHANISMS**

**Syncro (standard):** his allows for adjustment of the angle between the seat and the back, with shockproof lock in 5 different positions.

**Syncro with side shift (optional):** possibility to move the seat horizontally. The lumbar support built into the structure is adjusted by pressing the nylon of 70 mm.

**CERTIFICATIONS**

The M2 chair has exceeded the strictest tests and offers full guarantees on the quality of used materials. M2 has obtained the conformity attestation for video terminal seating and for UNI EN 1335:2000 type A.

**In conformity to:**

- UNI EN 1335-1 – UNI EN 1335-2 – UNI EN 1335-3 Safety, stability, strenght and durability for office chairs – TYPE A
- UNI EN 1022 Seating stability
- UNI 9083 Drop test of chairs and stools
- UNI 9084 Mechanical strenght and durability
- UNI 8591 Swivel test durability
- UNI 9175 Fire resistance – Certification – Class 11M.



**FINISHES**

**Upholstery:** Smart Office - Fabric cat. B, F, G, L, Leather and Extra Leather.

**Base:** Black nylon (standard), polished Aluminium (optional).

**Articolo: TASK CHAIR**

Easy to handle, comfortable, high quality padding, intuitive adjustment, and adaptable to the user's posture: these are the qualities of M2, a tangible example of a seat designed to suit the user.

Its clean, fascinating lines make M2 the perfect chair for young, dynamic environments where design and efficiency are combined.

To complete the M2 line, three models which redefine the style and comfort of waiting, reception and meeting areas.

A choice ranging from the most sophisticated elegance to a more practical, linear style in the barrelshaped model, the solution with polished Aluminium arms.

**TECHNICAL FEATURES**

**Seat and backrest:**

**Structure:** in multi-layer Beech wood 14 mm thick with an anatomic form.

**Padding:** in non-deformable expanded self-extinguishing Class 1 Polyurethane, cold-pressed, density 63 kg/mc of backrest and seat 63 kg/mc.

**Upholstery:** flameproof fabric Class 1, available in many varieties of colours and fabrics; all have passed the most rigorous tests of resistance to wear and tear. Also available in leather.

**Armrests (optional):**

**"T" shaped, height adjustable**, with support in black painted and with Polypropylene coating;

**Open**, in shockproof pure Polyurethane with metallic insert.

**Base:** the 68 cm diameter base is available in nylon version with metal reinforcing or in Aluminium. The self-braking, swivel castors are available in soft or hard rubber. Also available with feet.

**Mechanisms and adjustment**



Syncro mechanism  
Standard



backrest tension adjustment  
Standard



seat depth adjustment  
Optional



height adjustment  
Standard



lumbar support adjustment  
Standard

**MECHANISMS**

**Syncro (standard):** this allows for adjustment of the angle between the seat and the back, with shockproof lock in 5 different positions.

**Syncro with side shift (optional):** possibility to move the seat horizontally. The lumbar support built into the structure is adjusted by pressing the nylon of 70 mm.

**CERTIFICATIONS**

The M2 chair has exceeded the strictest tests and offers full guarantees on the quality of used materials. M2 has obtained the conformity attestation for video terminal seating and for UNI EN 1335:2000 type A.


**In conformity to:**

UNI EN 1335-1 – UNI EN 1335-2 – UNI EN 1335-3 Safety, stability, strenght and durability for office chairs – TYPE A

UNI 9175 Fire resistance – Certification – Class 1IM



M2, task chair with low backrest.



**FINISHES**

**Upholstery:** Smart Office - Fabric cat. B, F, G, L, Leather and Extra Leather.

**Base:** Black nylon (standard), polished Aluminium (optional).

**Articolo: CHAIR ON LINEAR SLED WITHOUT ARMRESTS**

Easy to handle, comfortable, high quality padding, intuitive adjustment, and adaptable to the user's posture: these are the qualities of M2, a tangible example of a seat designed to suit the user.

Its clean, fascinating lines make M2 the perfect chair for young, dynamic environments where design and efficiency are combined.

To complete the M2 line, three models which redefine the style and comfort of waiting, reception and meeting areas.

A choice ranging from the most sophisticated elegance to a more practical, linear style in the barrelshaped model, the solution with polished Aluminium arms.

**TECHNICAL FEATURES****Seat and backrest:**

**Structure:** in multi-layer Beech wood 14 mm thick with an anatomic form.

**Padding:** in non-deformable expanded self-extinguishing Class 1 Polyurethane, cold-pressed, density 63 kg/mc of backrest and seat 63 kg/mc.

**Upholstery:** flameproof fabric Class 1, available in many varieties of colours and fabrics; all have passed the most rigorous tests of resistance to wear and tear. Also available in leather.

**Frame:** 2 mm thick 30x15 elliptical steel tubular frame with flat-head black PVC non-slip feet.

**FINISHES**

**Upholstery:** Smart Office - Fabric cat. B, F, G, L, Leather and Extra Leather.

**Frame:** Black powder coated Steel (standard), chromed Steel (optional).

**CERTIFICATIONS**

The M2 chair has exceeded the strictest tests and offers full guarantees on the quality of used materials. M2 has obtained the conformity attestation to laws in force for waiting chairs.

**In conformity to:**

UNI EN 1022 Seating stability

UNI EN 13761 Dimensions and safety requirements for visitors seating

UNI EN 1728 Mechanical strenght and durability

UNI 9175 Fire resistance – Certification – Class 1IM



*M2, cantilever without armrests.*

**Articolo: CHAIR ON LINEAR SLED WITH ARMRESTS**

Easy to handle, comfortable, high quality padding, intuitive adjustment, and adaptable to the user's posture: these are the qualities of M2, a tangible example of a seat designed to suit the user.

Its clean, fascinating lines make M2 the perfect chair for young, dynamic environments where design and efficiency are combined.

To complete the M2 line, three models which redefine the style and comfort of waiting, reception and meeting areas.

A choice ranging from the most sophisticated elegance to a more practical, linear style in the barrelshaped model, the solution with polished Aluminium arms.

**TECHNICAL FEATURES****Seat and backrest:**

**Structure:** in multi-layer Beech wood 14 mm thick with an anatomic form.

**Padding:** in non-deformable expanded self-extinguishing Class 1 Polyurethane, cold-pressed, density 63 kg/mc of backrest and seat 63 kg/mc.

**Upholstery:** flameproof fabric Class 1, available in many varieties of colours and fabrics; all have passed the most rigorous tests of resistance to wear and tear. Also available in leather.

**Frame:** 2 mm thick 30x15 elliptical steel tubular frame with flat-head black PVC non-slip feet. Armrests together with the frame.

**FINISHES**

**Upholstery:** Smart Office - Fabric cat. B, F, G, L, Leather and Extra Leather.



**Frame:** Black powder coated Steel(standard), chromed Steel (optional).

**CERTIFICATIONS**

The M2 chair has exceeded the strictest tests and offers full guarantees on the quality of used materials. M2 has obtained the conformity attestation to laws in force for waiting chairs.

**In conformity to:**

UNI 9175 Fire resistance – Certification – Class 1IM

50 - 19<sup>5</sup>/<sub>8</sub>45 - 17<sup>3</sup>/<sub>4</sub>44 - 17<sup>3</sup>/<sub>8</sub>68 - 26<sup>3</sup>/<sub>4</sub>82 - 32<sup>1</sup>/<sub>4</sub>

M2, cantilever with armrests.

**Articolo: SEAT TUB CHAIR**

Easy to handle, comfortable, high quality padding, intuitive adjustment, and adaptable to the user's posture: these are the qualities of M2, a tangible example of a seat designed to suit the user.

Its clean, fascinating lines make M2 the perfect chair for young, dynamic environments where design and efficiency are combined.

To complete the M2 line, three models which redefine the style and comfort of waiting, reception and meeting areas.

A choice ranging from the most sophisticated elegance to a more practical, linear style in the barrelshaped model, the solution with polished Aluminium arms.

**TECHNICAL FEATURES****Seat and backrest:**

**Structure:** in multi-layer Beech wood 14 mm thick with an anatomic form.

**Padding:** in non-deformable expanded self-extinguishing Class 1 Polyurethane, cold-pressed, density 63 kg/mc of backrest and seat 63 kg/mc.

**Upholstery:** flameproof fabric Class 1, available in many varieties of colours and fabrics; all have passed the most rigorous tests of resistance to wear and tear. Also available in leather.

**Base:** self-braking swivel castors in soft rubber.

**FINISHES**


**Upholstery:** Smart Office - Fabric cat. B, F, G, L, Leather and Extra Leather.

**CERTIFICATIONS**

The M2 chair has exceeded the strictest tests and offers full guarantees on the quality of used materials. M2 has obtained the conformity attestationn to laws in force for waiting chairs.

**In conformity to:**

UNI 9175 Fire resistance – Certification – Class 1IM



*M2, single seat tub chair.*